

# Capillary Dynamics Bibliography

Riccardo Fazio

Department of Mathematics and Computer Science  
University of Messina

Viale F. Stagno D'Alcontres 31, Messina 98166 Italy

Tel: +39 090 676 3064 FAX: +39 090 393502

E-mail: dfazio@na-net.ornl.gov (Internet)

November 16, 2013

Version 1.00

## Abstract

This is `liquidpi2.pdf`. The `BIBTEX` file `liquidpi2.bib` records the literature on the second order modeling for capillarity dynamics.

## References

**Abend:AFP:2000**

- [1] K. Abend. Several years experience of fully automated and calibratable magnetic particle and dye penetrant systems. In *Proceedings of the 15th World Conference on Nondestructive Testing*, <http://www.ndt.net/article/wcndt00/papers/idn260/idn260.htm>, 2000. Rome, 15-21 October 2000.

**Adair:AFP:2000**

- [2] T. L. Adair and M. G. Kindrew. Automated fluorescent penetrant inspection (FPI) system is triple A. In *Proceedings of the 15th World Conference on Nondestructive Testing*, <http://www.ndt.net/article/wcndt00/papers/idn759/idn759.htm>, 2000. Rome, 15-21 October 2000.

**Adair:AFP:2001**

- [3] T. L. Adair, D. H. Wehener, and M. G. Kindrew. Automated fluorescent penetrant inspection system (FPI) is triple A. In *Proceedings APC Conference on Nondestructive Testing*, <http://www.ndt.net/article/apcndt01/papers/1099/1099.htm>, 2001.

**EN:NTP:1997**

- [4] EN 571 1. Non-destructive testing. penetrant testing. part 1. general principles. Technical report, 1997.

**ENISO:NTP:2000**

- [5] EN ISO 3452-3. Non-destructive testing. penetrant testing. part 2 testing of penetrant materials. Technical report, 2000.

**ENISO:NTP3:1998**

- [6] EN ISO 3452-3. Non-destructive testing. penetrant testing. part 3: Reference test blocks. Technical report, 1998.

**ENISO:NTP4:1998**

- [7] EN ISO 3452-4. Non-destructive testing. penetrant testing. part 4. equipment. Technical report, 1998.

**Larson:SFA:2002**

- [8] B.F. Larson. Study of the factors affecting the sensitivity of liquid penetrant inspections: review of literature published from 1970 to 1998. FAA technical report no. DOT/FAA/AR-01/95, Office of Aviation Research, Washington, DC, January 2002. 59 pp.

**Migoun:NAD:2004**

- [9] N. P. Migoun and P. P. Prokhorenko. New approach to the description of defects development at penetrant inspection. In *Proceedings of the 16th WCNDT World Conference on Nondestructive Testing*, [www.ndt.net/article/wcndt2004/pdf/newtechniques/781\\\_prokhorenko.pdf](http://www.ndt.net/article/wcndt2004/pdf/newtechniques/781\_prokhorenko.pdf), 2004. Paper code 781, Montreal, August 30 - September 3, 2004.

**Migoun:PPD:2000**

- [10] N. P. Migoun, P. P. Prokhorenko, and S. G. Ghizh. The problem of penetrant-developer contact during penetrant inspection procedure. In *Proceedings of the 15th World Conference on Non-*

*destructive Testing*, <http://www.ndt.net/article/wcndt00/papers/idn133/idn133.htm>, 2000. Rome, 15-21 October 2000.

**Migoun:TEI:2000**

- [11] N. P. Migoun, P. P. Prokhorenko, and A. B. Gnusin. Thermal effects influence upon penetrant testing sensitivity. In *Proceedings of the 15th World Conference on Nondestructive Testing*, <http://www.ndt.net/article/wcndt00/papers/idn134/idn134.htm>, 2000. Rome, 15-21 October 2000.

**Migun:SPF:2001**

- [12] N. P. Migun and A. B. Gnusin. Susceptibility of penetrant-dye testing as a function of development temperature. *Defektoskopiya - The Soviet Journal of Nondestructive Testing*, 37(6):439–442, 2001.

**Migun:FMF:2002**

- [13] N. P. Migun, P. P. Prokhorenko, and S. G. Chizh. Film-flow mechanism of flaw development in penetrant-dye tests. *Rus. J. of Nondestructive Testing*, 38:704–708, 2002.

**Migun:PRN:2003**

- [14] N. P. Migun. Problem of revising new international standards of penetrant testing. *Rus. J. of Nondestructive Testing*, 39:478–484, 2003.

**Migun:SPE:2005**

- [15] N. P. Migun, A. B. Gnusin, and I. V. volovich. Some possibilities to enhancing the efficiency of penetrant inspection. *Rus. J. of Nondestructive Testing*, 41:452–455, 2005.

**Polzin:SPC:2003**

- [16] K. A. Polzin and E. Y. Choueiri. A similarity parameter for capillary flows. *J. Phys. D: Appl. Phys.*, 36:3156–3167, 2003.

**Prokhorenko:ITP:1988**

- [17] P. P. Prokhorenko and N. P. Migoun. *Introduction to Theory of Penetrant Testing*. Science & Engineering, Minsk, 1988. in Russian.

**Prokhorenko:TPL:1999**

- [18] P. Prokhorenko, N. P. Migoun, and M. Stadthaus. *Theoretical Principles of Liquid Penetrant Testing*. DVS-Verlag, Berlin, 1999.

**Sekerin:AME:2001**

- [19] A. M. Sekerin. Automated method for estimating efficiency of procedures of excessive liquid removal in penetrant-dye tests. *Rus. J. of Nondestructive Testing*, 37:67–73, 2001.

**Sekerin:SCI:2001**

- [20] A. M. Sekerin. Segmentation of computer-processed images of tested surfaces obtained using the dye-penetrant testing. *Rus. J. of Nondestructive Testing*, 37:84–92, 2001.

**Yanischevsky:EFL:1998**

- [21] M. Yanischevsky. An enhanced fluorescent liquid penetrant inspection technique for measurement of surface cracks. In *PACNDT '98*, <http://www.ndt.net/article/pacndt98/44/44.htm>, 1998.

**Adamson:PCS:1997**

- [22] A. W. Adamson. *Physical Chemistry of Surfaces*. Wiley, Singapore, 1997.

**AIA:NCQ:2008**

- [23] Aerospace Industries Association, [www.aia-aerospace.org](http://www.aia-aerospace.org). *NAS certification & qualification of nondestructive test personnel*, 2008.

**Alenia:TQC:2008**

- [24] Alenia Aeronautics, [www.aeronautica.alenia.it](http://www.aeronautica.alenia.it). *Training, qualifications, and certification of personnel assigned to non destructive testing*, 2008.

**Bell:MLT:1906**

- [25] J. M. Bell and F. K. Cameron. Movement of liquids through capillary tubes. *J. Phys. Chem.*, 10:658–674, 1906.

**Betz:PP:1969**

- [26] C. E. Betz. *Principles of penetrants*. Magnaflux, Chicago, 2nd edition, 1969.

**Blake:IPW:2004**

- [27] T. D. Blake and J. De Coninck. The influence of pore wettability on the dynamics of imbibition and drainage. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 250:395–402, 2004.

**Bosanquet:FLC:1923**

- [28] C. H. Bosanquet. On the flow of liquids into capillary tubes. *Philos. Mag., Ser. 6*, 45:525–531, 1923.

**Budd:PC:2008**

- [29] C. Budd and H. Huang. Private communication, Bath, 2008.

**Caturano:2008:PDP**

- [30] G. Caturano, G. Cavaccini, A. Ciliberto, V. Pianese, and R. Fazio. Probability of detection for penetrant testing in industrial environment. To appear: Applied and Industrial Mathematics in Italy III, 2009.

**Caturano:2008:LPT**

- [31] G. Caturano, G. Cavaccini, A. Ciliberto, V. Pianese, and R. Fazio. Liquid penetrant testing: Industrial process. To appear: Communication to SIMAI Congress, 2009.

**Cavaccini:CQV:2007**

- [32] G. Cavaccini. Controlli di qualità per la verifica del processo di ispezione con liquidi penetranti. Technical report, Alenia Aeronautics, 2007.

**Cavaccini:LPF:2006**

- [33] G. Cavaccini. Liquidi penetranti fluorescenti – determinazione della PoD e della sensibilità del processo. Technical report, Alenia Aeronautics, 2006.

**Cavaccini:MNM:2006**

- [34] G. Cavaccini, V. Pianese, S. Iacono, A. Jannelli, and R. Fazio. Mathematical and numerical modeling of liquids dynamics in a horizontal capillary. In T. Simos and G. Maroulis, editors, *Recent Progress in Computational Sciences and Engineering, ICCMSE 2006, Lecture Series on Computer and Computational Sciences*, volume 7, pages 66–70, Leiden, The Netherlands, 2006. Koninklijke Brill NV.

**Chebby:DAG:2003**

- [35] R. Chebby. Deformation of advancing gas-liquid interfaces in capillary tubes. *J. Colloid Interf. Sci.*, 265:166–173, 2003.

**Chibbaro:CFP:2008**

- [36] S. Chibbaro. Capillary filling with pseudo-potential binary lattice-Boltzmann model. *Eur. Phys. J. E*, 27:99–106, 2008.

**Clanet:OM:2002**

- [37] C. Clanet and D. Quéré. Onset of menisci. *J. Fluid Mech.*, 460:131–149, 2002.

**Chan:STD:2005**

- [38] W. K. Chan and C. Yang. Surface-tension-driven liquid liquid displacement in a capillary. *J. Micromech. Microeng.*, 15:1722–1728, 2005.

**Diotallevi:FPC:2008**

- [39] F. Diotallevi, L. Biferale, S. Chibbaro, A. Puglisi, and S. Succi. Front pinning in capillary filling of chemically coated channels. *Phys. Rev. E*, 78:036305, 2008.

**Dube:CDI:2000**

- [40] M. Dubé, M. Rost, and M. Alava. Conserved dynamics and interface roughening in spontaneous imbibition: A critical overview. *Eur. Phys. J. B*, 15:691–699, 2000.

**Dussan:SLS:1979**

- [41] E. B. Dussan. On the spreading of liquids on solid surfaces: static and dynamic contact angles. *Ann. Rev. Fluid Mech.*, 11:371–400, 1979.

**Erickson:NSC:2002**

- [42] D. Erickson, D. Li, and C. B. Park. Numerical simulations of capillary-driven flows in nonuniform cross-sectional capillaries. *J. Colloid Interf. Sci.*, 250:422–430, 2002.

**Fisher:TIV:1979**

- [43] L. R. Fisher and P. D. Lark. The transition from inertial to viscous flow in capillary rise. *J. Colloid Interf. Sci.*, 69:486–492, 1979.

**Fries:ASC:2008**

- [44] N. Fries and M. Dreyer. An analytic solution of capillary rise restrained by gravity. *J. Colloid Interf. Sci.*, 320:259–263, 2008.

**Fries:DAG:2008**

- [45] N. Fries and M. Dreyer. Deformation of advancing gas-liquid interfaces in capillary tubes. *J. Colloid Interf. Sci.*, 327:125–128, 2008.

**deGennes:WSD:1985**

- [46] P. G. de Gennes. Wetting: statics and dynamics. *Rev. Mod. Phys.*, 57:827–890, 1985.

**deGennes:CWP:2004**

- [47] P. G. de Gennes, F. Brochard-Wyart, and D. Quéré. *Capillarity and Wetting Phenomena*. Springer, New York, 2004.

**Hultmark:IGP:2011**

- [48] M. Hultmark, J. M. Aristoff, and H. A. Stone. The influence of the gas phase on liquid imbibition in capillary tubes. *J. Fluid Mech.*, 678:600–606, 2011.

**Karniadakis:MN:2005**

- [49] G. Karniadakis, A. Beskok, and N. Aluru. *Microflows and Nanoflows*. Springer, New York, 2005.

**Kornev:SPL:2001**

- [50] K. G. Kornev and A. V. Neimark. Spontaneous penetration of liquids into capillaries and porous membranes revisited. *J. Colloid Interf. Sci.*, 235:101–113, 2001.

**Kornev:MSP:2003**

- [51] K. G. Kornev and A. V. Neimark. Modeling of spontaneous penetration of viscoelastic fluids and biofluids into capillaries. *J. Colloid Interf. Sci.*, 262:253–262, 2003.

**Iacono:2008:NSC**

- [52] S. Iacono. Numerical simulation of capillary flows through molecular dynamics. To appear: Applied and Industrial Mathematics in Italy III, 2009.

**ITANDTB:RP:2005**

- [53] Italian Aerospace Non Destructive Testing Board, [www.unavia.it](http://www.unavia.it). *Recommended Practice*, 2005.

**Jurin:ASE:1717**

- [54] J. Jurin. An account of some experiments shown before the royal society; with an enquiry into the cause of the ascent and suspension of water in capillary tubes. *Philosophical Transactions of the Royal Society*, 30: 351–363: (739–747), 1717:(1719).

**Leger:LS:1992**

- [55] L. Leger and J. F. Joanny. Liquid spreading. *Reports Progress Phys.*, 55:431–486, 1992.

**Lovejoy:PTP:1991**

- [56] D. Lovejoy. *Penetrant Testing, A practical guide*. Chapman & Hall, 1991.

**Lucas:UZK:1918**

- [57] R. Lucas. Über das zeitgesetz des kapillaren Ausstiegs von Flüssigkeiten. *Kolloid Z.*, 23:15–22, 1918.

**Mangiavacchi:EIS:2005**

- [58] N. Mangiavacchi, A. Castelo, M. F. Tomé, J. A. Cuminato, M. L. Bambozzi De Oliveira, and S. McKee. An effective implementation of surface tension using marker and cell method for axisymmetric and planar flows. *SIAM J. Sci. Comput.*, 26:1340–1368, 2005.

**Mann:FSL:1995**

- [59] J. A. Mann Jr., L. Romero, R. R. Rye, and F. G. Yost. Flow of simple liquids down narrow V grooves. *Phys. Rev. E*, 52:3967–3972, 1995.

**Martic:MDS:2002**

- [60] G. Martic, F. Gentner, D. Seveno, D. Coulon, J. De Coninck, and T. D. Blake. A molecular dynamics simulation of capillary imbibition. *Langmuir*, 18:7971–7976, 2002.

**Martic:PDT:2004**

- [61] G. Martic, F. Gentner, D. Seveno, J. De Coninck, and T.D. Blake. The possibility of different time scales in the dynamics of pore imbibition. *J. Colloid Interf. Sci.*, 270:171–179, 2004.



**Martic:DIP:2005**

- [62] G. Martic, T. D. Blake, and J. De Coninck. Dynamics of imbibition into a pore with a heterogeneous surface. *Langmuir*, 21:11201–11207, 2005.

**Pesse:ESG:2005**

- [63] A. V. Pesse, G. R. Warriar, and V. K. Dhir. An experimental study of the gas entrapment process in closed-end microchannels. *Int. J. Heat Mass Transf.*, 48:5150–5165, 2005.

**Rideal:FLC:1922**

- [64] E. K. Rideal. On the flow of liquids under capillary pressure. *Philos. Mag.*, 44:1152–1159, 1922.

**Romero:FOC:1996**

- [65] L. A. Romero and F. G. Yost. Flow in an open channel capillary. *J. Fluid Mech.*, 322:109–129, 1996.

**Rye:CFI:1998**

- [66] R. R. Rye, F. G. Yost, and E. J. O’Toole. Capillary flow in irregular surface grooves. *Langmuir*, 14:3937–3943, 1998.

**Rye:WKS:1996**

- [67] R. R. Rye, F. G. Yost, and J. A. Mann Jr. Wetting kinetics in surface capillary grooves. *Langmuir*, 12:4625–4627, 1996.

**SAE:QPL:2004**

- [68] Sae Aerospace, [www.sae.org](http://www.sae.org). *Qualified products list of product qualified under SAE Aerospace material specification SAE AMS 2644 – Inspectional material: penetrant*, 4th edition, 2004.

**SAE:AMS:2006**

- [69] Sae Aerospace, [www.sae.org](http://www.sae.org). *Aerospace material specification – Inspectional material: penetrant*, 5th edition, 2006.

**Szekely:RCP:1971**

- [70] J. Szekely, A. W. Neumann, and Y. K. Chuang. The rate of capillary penetration and the applicability of the Washburn equation. *J. Colloid Interf. Sci.*, 35:273–278, 1971.

**Szekely:RCP:1979**

- [71] J. Szekely, A. W. Neumann, and Y. K. Chuang. Rate of capillary penetration and applicability of Washburn equation. *J. Colloid Interf. Sci.*, 69:486–492, 1979.

**Teipel:DCA:2004**

- [72] U. Teipel and I. Mikonsaari. Determining contact angles of powders by liquid penetration. *Part. Part. Syst. Charact.*, 21:255–260, 2004.

**Tokaty:HPF:1994**

- [73] G. A. Tokaty. *A History and Philosophy of Fluid Mechanics*. Dover, New York, 1994.

**UNI:QAP:2003**

- [74] Ente Nazionale Italiano di Unificazione, [www.uni.com](http://www.uni.com). *Qualification and approval of personnel for non-destructive testing*, 2003.

**Washburn:DCF:1921**

- [75] E. W. Washburn. The dynamics of capillary flow. *Phys. Rev.*, 17:273–283, 1921.

**Xiao:GAC:2006**

- [76] Y. Xiao, F. Yang, and R. Pitchumani. A generalized analysis of capillary flows in channels. *J. Colloid Interf. Sci.*, 298:880–888, 2006.

**Young:ACF:2004**

- [77] W.-B. Young. Analysis of capillary flows in non-uniform cross-sectional capillaries. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 234:123–128, 2004.

**Yost:FOC:1997**

- [78] F. G. Yost, R. R. Rye, and J. A. Mann Jr. Solder wetting kinetics in narrow V-grooves. *Acta Materialia*, 45:5337–5345, 1997.

**Zhmud:DCR:2000**

- [79] B. V. Zhmud, F. Tiberg, and K. Hallstenson. Dynamics of capillary rise. *J. Colloid Interf. Sci.*, 228:263–269, 2000.